INDEX TO VOLUME 23

Page numbers printed in **boldface** refer to headings and main citations.

aceto-carmine technique, 597
AEBERSOLD, P. C., 179, 188
agglutinins, man, **165**–166
Alabama University, 143, 596
albinism, mouse, **269**–274
albino alleles, guinea pig, 165
ALIKHANIAN, S. J., 287
ALLEN, G. M., 523, 533, 539
allometry, 552
allopolyploidy, 76
ALTENBURG, E., 179
American oncologic hospital, 179–180
American Philosophical Society, 175
Amherst College, 141, 163
ammonia, effect on chromosomes, 158
Ananas comosus, polyploidy, **145**
ANDERSON, EDGAR, 76, 108
ANDERSON, E. G., **307**–310, 378, 381, 392, 438, 442, 449
anemia, rat, **141**–142
aneuploidy, **162**–163
ANTHES, E. H., 284
anthocyanidin, 380–385
Antirrhinum, 162
aphids, **155**–156, **167**
apomixis, **149**–150
Apoletlix eurycephalus, dimorphism, 161
apple, 255
ARARATIAN, G. A., 596
ARCHER, A. E., 190
ARISTOTLE, 115
Arlington Experimental Farm, 389
Arnold Arboretum, 494
ASHBY, E., 265–266
asynapsis, 102, 106–108, 175–176, 300
ATEBEKOWA, A. J., 368
Attached-X, 140, 423–462
autopolyploidy, 76
AVERY, A. G., **140**, **165**

BABCOCK, E. B., 80
Baldwin-Wallace College, 631
BANTA, A. M., **139**
BARBER, H. N., 509, 608
barley, 256
BARTLETT, H. H., 380
Bartol Research Foundation, 179
BATE, RUTH, 610
BAUER, H., 28, 160, 221, 284, 291, 597, **610**
BEADLE, G. W., 46, 61, 224, 230–231, 236, 307–308, 356, 368, 372, 434, 442, 446, 449–453, 548, 630
BEDICHEK, S., 140, 625
BELGOWSKY, M. L., **139**
BELLING, J., 105
BENKERT, L. H., 565
Bennington College, 300
BERGER, C. A., **140**
BERGNER, A. D., 304
binuclearity, 134
Birmingham-Southern College, 203
BISHOP, M., **140**
BISHOP, D. W., 567
BITTNER, J. J., 591, 594
BLAKESLEE, A. F., 105–106, **140**, **165**, 596
BLANC, R., **141**
BLOCH, B., 524, 541
blood cells, man, 165–166
BLUM, C. T., 266
BOCHE, R. D., 62, 485
BOGART, R., **141**
BOL, C. J. A. C., 12–14
BORCHERT, A., 115
BOSTIAN, C. H., 565
BOSTIAN, N. C., 568
BOVERI, T., i–vi
breeding methods, livestock, **148**
BRECHER, L., 542
BREHME, K. S., **142**
BRIDGES, C. B., 105, **111**–114, **142**, 217, 221, 223, 284–285, 291–292, 306, 426, 436–437, 442–443, 447, 453, 548, 611, 615, 617, 621, 629
BRIDGES, P. N., **111**
BRINK, R. A., 90
Brown University, 117, 135, 139, 149, 151, 165
Bryum caespiticium, 175
BUCHHOLZ, J. T., 176, 191
BURNHAM, C. R., 307–308, 311, 316
Bussey Institution, 269, 399
BUTLER, L., **253**, 263

CASTLE, W. E., 265–266, **269**, 273, 399–401, 407–409, 412–413, 417–418, 421
California Institute of Technology, 28, 111, 142, 158, 173, 175, 190, 221, 300–301, 307, 463
California, University of, 65, 83, 148, 269–270, 493
Cambridge University, 179
Canada, Dept. of Agriculture, 517
CAMERON, J. A., **143**, 368
cancer, rat, **150**
carbon dioxide, effect on chromosomes, 158
carcinoma, rat, 150, 158
CARLSON, J. G., **143**, 508–509, **596**, 626
Carnegie Institution of Washington, 111, 135, 139–143, 147, 149, 154, 159, 165, 275, 283, 291, 596, 610
carcinoma, in mice, **585**
CARTLEDGE, J. L., **140**
castration, in mice, 589
CATCHESIDE, D. G., 99, 104, 368, 511, 610
cell number, 259–267
cell size, 259–267
centromeres, Drosophila, **173**
CHADWICK, J., 179
chain mutation hypothesis, 297
CHARLES, D. R., **523**, 542
CHASE, H. B., **144**

CHESLEY, P., 574, 581–582
CHETVERIKOV, S., 239, 483
chiasmata
  Trillium, 152
  Paeonia, 87–102
chiasma frequency, 87–102
Chicago University, 144
CHILD, G. P., **141**, **163**
CHIPMAN, G. F., 255
chloral hydrate, 141
Chorthippus curtipennis, parthenogenesis, **145**
Chortophaga viridifasciata, chromosomes, **143–144**, 508, **596**
CHRISTIE, W., 12, 24
chromatid, 598–599, 601, **605**
chromatin bridge 600, 602, **604**, 608, 626
chromocenter, Drosophila, 139, 160–161, 611
chromonema, 152, 510, 600, 624
chromosome
  behavior, Zea, **315–375**
  breakage, **139–144**, 154, 315–375, 494–516, 596
  centromeres, **173**
  doubling, 606
  elimination, 203–219, 425
  fragments, **161**, 423, 496–516, 598, 601, 608
  fusion, 496–516
  in Datura triploids, **165**
  in grasshoppers, **143**, **596**
  in Paeonia, 83–87
  interlocked, **164**
  maps, 2–11, 24–27, 87–102, **142–143**, **174**, 288, 293
  meiotic, wheat, 157, 168, 517
  morphology, tomato, 485–493
  multiple complexes, **140**
  phylogeny, Drosophila, 28–64
  rearrangement, 28–64, 111–114, **139**, **154**, 283–299, 307–312, 423–462, 611, **621**, 629
  rings, 159, 200–201, **315–375**, 499
  salivary, 139, 142–143, 154, 158, **159–161**, 170, 602
  sensitivity to x-rays, **158**, 504–512
  size, 485–493
  somatic pairing, 29–64, 140
  species homologies, **173**
  structure, **159**
  temperature effect, 504–505
  translocation, 599, 601
  variation, Drosophila, 239–250
  x-ray induced aberrations, 139–140, 143–144, **158**, 161, **494–516**
Cladocera, maternal effects, **139**
CLAUS, P. E., **150**
CLAUSEN, J., 75
CLAUSEN, R. E., 368, 394
CLELAND, R. E., **144**, 190, 195
CLOUDMAN, A. M., 590, 594
COCHRANE, F., 644
colchicine, **140–141**, **161–162**
COLE, L. J., 24
COLLINS, J. L., **145**
color, guinea pig coat, **164–165**
  Harbrobracon body, **175**
  pigeon, **12–23**
colorimeter, melanin analysis, **172**
Columbia University, 111, 135, 142, 146, 523, 573
Columba livia, 12–27
Columbidae, species differences, **153**
COMSTOCK, J. H., 115
conjugation, Paramecium, **168**
Connecticut Agricultural Experiment Station, 153
Connecticut State College, 172
Coolidge tube, 495, 611
COOPER, D. C., 90
corn, 147, 153–154, 159, 163–164, 170–171, 307–312, 315–396
Cornell University, 141, 152, 156, 315
crab, 255
Cracow University, 283, 291
CREIGHTON, H. B., 307, 368
CREIGHTON, M., **145**
Crocker Laboratory, 117, 135
crocus, 601
crossing over
  Drosophila pseudoobscura, 44–49, 61
  Drosophila melanogaster, **175–176**, 423–462
  effect of duplication, 423–462
  effect of inversions, 44–49, 61
  Galleria, 126
  mitotic, 305
  oögonial, **175–176**, **300–306**
  pigeon, 24–27
  somatic, 300, 305, 550, 555
  spermatogonial, 300
  suppression, 111, 300–306
  tomato, 1–11
  Zea, 356–357
crossover maps, 288, 293, 298
CROUSE, H. V., **275**, 279
Culex, multiple chromosomes, **140**
CUMLEY, R. W., **146**
CURRENCE, T. M., **1**
CURRY, H. D., 239
cytomixis, 518, 519

DALE, E. E., 255
DANFORTH, C. H., 146
Daphnia longispina, maternal effect, 139
DARK, S. O. S., 83–87, 90, 95, 101–106
DARLINGTON, C. D., 91, 96, 101, 103, 105, 140, 371, 510
Datura, 191
  colchicine, effect of, **140–141**
  D. stramonium, **165**
  polyploidy, **140–141**, **165**
DAVENPORT, C. B., **146**
deficiency, 101, 157, 159, 170–171, 283–299, **315–375**, 603, 611, 624, 628
  terminal, 626
deletion, 139–140, 161
DELLINGSHAUSEN, M. V., 79
Delphinium, 393
DEMARINIS, F., **548**
DEMBOWSKY, J., 542
DEMEREC, M., 139, 283–284, 287–294, 297–298, 372, 392–395, 514, **610**, 626, 645
DEMIDOVA, Z. A., 627
DERMEN, H., 83
Dianthus, 162
diffusible substances, Drosophila, 223–238
DOAN, D., 300
DOBZHANSKY, Th., 28, 34, 47, 49, 58, 62, 79, 103, 221, 234, **239–243**, 246–248, 423, 425,

429, 434, 438, 442–449, 452–453, **463**–465, 485
Dominion Experimental Farms, 157
Dominion Rust Research Laboratory, 517
DONALD, H. P., 221, 234
DONCASTER, L., 133
dopa oxidase, 541–542
DORRANCE, G. M., 180
dosimeter, 611
double fertilization, 134
dove, species, **153, 166**
Drosophila, 266, 368–369, 494
chromosome homologies, **173**
development, 156, **169**
gene homology, **221**–238
gene inactivation, **148**
inversions, 234
neutron effect, **179**–189
population genetics, **239**–250
salivary chromosomes, **111**–114, 139, 142–143, 154, 158–161, 170, 221
serology, **146**
sub-species, **169**–170
translocations, 234
Drosophila affinis, 58, 240
Drosophila athabasca, 58, 221
Drosophila azteca, 58, 221
Drosophila hydei
bobbed alleles, **170**
Drosophila melanogaster
aneuploidy, **162**–163
attached-x, 140, 423–462
Bar, **548**
centromeres, **173**
chromocenter, 139, 161
chromosome maps, **142**–143, 288, 293, 298
chromosome rearrangement, 139, **154**, 160–161, **610**
cleavage, 151, 169
crossing over, **300**–306, 423–462, 550, 555
deficiencies, 283–299, 372
Notch, 291–299
Minute-n, 548–549
development, **169**
duplications, **140**, 162, **423**–462, 624
Bar, 139, 548
ultrabar, 559
eversporting displacements, 139
eye color, **221**–238
genes
brown-b, **167**
cinnabar, 221–238
Dichaete, 633
claret, 221–238
clot, 222–238
dimorphos, 155
dumpy, 141
facet, **162, 291**–299
hairy, 173
Minute, **142**
mottled, **631**–632
No-wing, 147
pennant, 155
ruby, 232–238
scarlet, 231–238
Star, **169**
sepia, 234–238
truncate, 141
vestigial, 147, 155
vermilion, 221–238
white, **291**–299, 393, 548
growth, **142**
gynandromorph, 549
hormone, **151**
hyperploidy, 140, 146, 163
inert regions, 624
inversions, 620
CIB, 442, 451–452
delta-49, 434, 451–452
Payne, **111**–114
Plum, 149
scute, 139, 160–161
white, 149
lethals, **142**, 183–189, **283**–290, 291–299, 467
Minute reaction, **142**
Mosaics, 548–549
mottling, **149, 631**
mutation rate, **163**, 628
nerves, 172
neutron effect, **179**–189
non-disjunction, 434–443, 450–453
oögonial crossing over, **175**–176, **300**–306
pigment formation, **173**, 639, **642**
puparium formation, **151**
ring-gland, **151**
salivary chromosomes, **111**–114, 139, 142–143, 154, 160–161, **283**–**291**, 299, 445
seta innervation, **172**
spermatogonial crossing over, 300
synapsis, 445–446
temperature effect on
fertility, **146**
mottling, **631**
translocation, **160**
truncate reaction, **141**
viability, **146**
translocations, 149, **160**, 173, 423–462, 612, 620
triplo-IV, 434
triplo-X, 612
triploids, 442
truncate reaction, **141**
unstable genes, 393, 395
"venation" stock, 111–114
wing characters, **147, 155**
X-ray, effect of, 139, 151, **154, 169**, 175–176, 283–306
Y chromosome, effect on pigment, **173**
Drosophila miranda, 36, 170, 221, 224
salivary chromosomes, 49–50, **158**, 173–174
Drosophila obscura, 240
Drosphila pseudoobscura, 158, 170, 173, 446, 644
abnormal abdomen, 482
chromosome variation, **239**–250, 485
collection methods, 240
Curly-like, 482
curved wing, 481–482
development rate, 476–478
dwarfish, 481
eye color genes, **221**–238
gene arrangement, 242–250, 463–466
genes
Blade, 464–483
chlorotic, 482
claret, 221–238

orange, 221–238, 464–483
plexus, 481
purple, 228–238, 464–483
ruby, 226–238
scarlet, 226–238
sepia, 228–238
vermilion, 221–238
wavy wings, 482
genic variation, **463**–484
geographical distribution, 52–58, 239–250, 463–484
inversions, **28**–64, 103, 244–250
lethals, 466–484
maternal effect, 79
polished body, 481
population genetics, **239**–250, **463**–484
races, 28–64
salivary chromosomes, 28–64
scute, 464–483
semilethals, 467–484
"sex-ratio," 245–250
short bristles, 481
short wings, 481
vestigial-like, 481
viability, 471–476
weak purple, 480–481
Drosophila simulans
salivary chromosomes, 173–174
Drosophila subobscura, 57
Drosophila tristis, 57
Drosophila virilis, 392–393
development, 156
intersexuality, **156**
salivary chromsomes, 173–174
sub-species, **169**–170
DUBININ, N. P., 28, 173, 239, 445, 483, 625, 627
DU BOIS, A. M., 277
DUDA, O., 240
DUGGAR, B. M., 494
DUNN, L. C., **146**, 523, 524, 542, 574
duplication, **140**, 162–163, **423**–462

EAST, E. M., 75–76, 193, 202, 266, 421, 483
EINSELE, W., 165
EMERSON, R. A., 307–308, 356, 378–382, 392–393
EMERSON, S., **190**
EMMENS, C. W., 295, 372
EMSWELLER, S. L., 86
endomixis, **154**–155
ENZMANN, E. V., 512
EPHRUSSI, B., 224, 230–231, 236, 372, 450, 548
Epilobium, 78–79
ERLANSON, E. W., 190
erythrocytes, **165**
estrogen, 585, 594
euchromatin, 158, 160, 624
eversporting displacements, 139
eye color, Galleria, 120–126
Drosophila, **221**–238
EYSTER, H. C., **147**
EYSTER, W. H., 147, 392

feather color, poultry, 172
FELDMAN, H. W., 20, 269, 402, 407–408, 413
fertilization
double, 134
FISHER, R. A., 5
folliculin, 590
FORTUYN, A. B. D., 409, 417, 420–421
FRANDSEN, G. G., 311
Franklin Institute, 179
FRASER, A. C., 307–308, 357
FRIESEN, H., 300, 303
FROST, H. B., 493
Fuller Fund, 585

GABLE, J. V., **147**
Galeopsis, 175
Galleria mellonella, genetics of, **115**–136
Galton and Mendel Fund, 28, 315
gamma-ray, 171, 179–189
GARDNER, W. U., **585**
GATES, W. H., 26, 273, 401, 405, 407–409, 417–418
GAVRILOVA, A. A., 627
GAY, E., 173, 511–512, 644
gene
effect on pigment, **164**–165
homology, Drosophila, **221**–238
inactivation, 148, 298
maps, **174**, 242–250
position effect, **160**
simulated by deficiency, 159
simulated by duplication, 162
size, 511–512
Genetics Society of America, 139
geographical distribution, Drosophila, 52–58, 239–250, 463–484
geometric growth, **253**–267
GERSHENSON, S. M., 60, 442, 624
GLÜCKSOHN-SCHOENHEIMER, S., **146**, **573**
GOLDSCHMIDT, R., 134, 391, 395, 509, 514, 548, 558, 581
gonad development, Drosophila, 156
gonadin, 590
GOODALE, H. D., **148**
GOODSPEED, T. H., 76, 80, **148**, 494, 511
GOTTSCHEWSKI, G., **221**, 230, 233, 292, 295, 297
Goucher College, 144
GOWEN, J. W., **148**, 173, 176, 300, 304, 494, 511–512, 644
grasshopper, chromosomes, 143–144, **596**
GREEN, C. V., 399, 407–409, 413
GREEN, E. L., **149**
GREGORY, P. W., 266
GRIFFEN, A. B., **149**, 162, **173**
GRIFFIN, A. M., **165**
GROTH, B. H. A., 253
growth, Drosophila, **142**
mouse, 269, 399–421
tomato, **253**–267
rabbit, 149
Zea, 355–356
GRÜNEBERG, H., 60, 295
guinea pig
pigment, **164**–165
spotting, **144**, 536
GUSTAFSSON, A., **149**, 511, 596–598, 606
GUYER, M. F., **150**
gynandromorphs, Galleria, 130–131

HAAN, H. DE, 17
Habrobracon, **562**
body color, **175**
lethals, **562**

mosaics, **175**
neutron effect, 180, 567
HADORN, E., **151**
hair color, mouse, **143**
Hamilton College, 65
HANSON, F. B., 182, 494
HARRIS, B. B., 303
HARRISON, J. W. H., 131
Harvard University, 143, 269, 399, 494
HASKINS, C. P., 512, 549
Hawaii, University of, 145
HAWKINS, L. E., 12
HAYS, F. M., 182
HEITZ, E., 83
HELD, E., 239, 463
hemiploidy, **174**–175
hemp, 157
HENNEBERG, B., 576
HEPTNER, M. A., 627
hermaphrodites, 156
HERSH, A. H., **548**, 631
HERTWIG, P., 392
heterochromatin, 154, 160, 611, 617, 621, 624
heterosis, 253–267, 483
HICKS, G. C., 65, 83, 87, 93–95, 99–101
HILL, R. T., **585**
HOLLINGSHEAD, L., 518
HOLLANDER, W. F., **12, 24,** 26
HOLTHAUSEN, C. F., 395
HOOVER, M. E., 283, 287, 298, 372, 603, 626
Hordeum, 601
hormone, 151, 585, 590, 594
HOUGHTALING, H. B., 260
HUBER, G. C., 580
HUETTNER, B. F., **151, 169**
HUGHES, B. A., 180
HUMES, A. G., **151**
HUNTER, A. W. S., **152,** 368, 509, 596, 598–602
HUSKINS, C. L., 105, **152,** 368, 509, 521, 596, 598–602
HUSTED, L., 368–370, 510, 599, 604
HUTT, F. B., 26, **152**
hybrids
  doves, 153, 166
  Drosophila, **150,** 169–170, 173
  Epilobium, 78–79
  Nicotiana, 75–76
  Oenothera, 190
  Paeonia, **65, 83**–110
  structural, 97–110
  Tradescantia, 76
  tomato, 253–267
hyperploidy, 140, 146, 162–163, 173
hypoploidy, 163

ILJIN, N. A., 533, 539
IMAI, Y., 393
IMMS, A. D., 115
inert region, 624
interference, 152
intersexuality, **156,** 425
interspecific transplants, 221–238
International Cancer Research Foundation, 585
inversions
  Chortophaga, 602
  Drosophila species, 28, 234, 244–250
  D. melanogaster, **111**–114, 139, 149, 160, 434, 442, 620
  D. miranda, 49–50
  D. pseudoobscura, **28**–64
  effect on crossing over, 44–49, 61
  multiple, 32–34
  Paeonia, 100–109
  Zea, 370–372
Iowa State College, 148, 156
Iowa State University, 145, 157, 167
IRWIN, M. R., 153

Jackson Memorial Laboratory, 164, 176, 270
JENKINS, K. D., 80
Johns Hopkins University, 154, 168, 203
JONES, D. F., 30, **153,** 483
JONES, H. A., 86
JONES, S. V. H., 12–14, 24
JULL, M. A., 255

Kaiser Wilhelm-Institut, 174, 610
Kansas Agricultural Experiment Station, 161
Kansas State College, 174
KAPTEYN, J. C., 256
KARRER, E., 631
KATTERMAN, G., 518, 519
KATSUKI, K., 134
KAUFMANN, B. P., **154,** 285, 291, 434, 508–509, 596, 606, **610**
KELLEY, F. J., 26
Kelly Hospital, 275
KERNS, K. R., **145**
KHVOSTOVA, V. V., 625, 627
KIHARA H., 392
KIMBALL, G., **141**
KIMBALL, R. F., **155**
kinetochore, 598, 601
KIRSSANOW, B. A., 626
KOBOZIEFF, N., 575
KOLTZOFF, N. K. 131

LANCEFIELD, D. E., 135
LANDAUER, W. **155**
LANGLET, O. F. I., 83–84, 87
LASHIN, B. J., **155**
LAW, L. W., **399,** 407, 409, 418
LAWRENCE, E. G., 276–279, 282
LAWRENCE, E. O., 179, 188
LAWRENCE, J. H., 179, 188
LAWSON, C. A., **155**
LEBEDEFF, G. A., **156**
LEHMANN, E., 78
LESLEY, J. W., 1, 485, 493
LESLEY, M. M., **485**
lethals
  corn, 170–171
  Drosophila, 142, **163,** 169–170, 112, 183–189, **283–291**–299, 466–484
  Habrobracon, **562**
  locust, 161
  mouse, **146**–147, 574, 583
  poultry, 152–**155**
LEVAN, A., 596
LEVITSKY, G. A., 86, 511, 596
LI, J. C., 111, 114
Lilium, 162
LINDSTROM, E. W., 1–2, **156,** 258

linkage
corn, 307–312, 389–395
Galleria, 126–127
mouse, 399–421
pigeon, **24**–27
poultry, 174
Sciara, 205–219, 274–282
soybean, **176**
tomato, 1–11, 258–259
wheat, 168
LIVESAY, E. A., 412
LLOYD-JONES, O., 13
LOCHER, G. L., **179**–180
locust, 161, 368, 607
LOEHWING, W. F., **157**
LOOMIS, A. L., 631
LOVE, R. M., **157, 517**
LUCKWILL, L. C., 266
Lycopersicum esculentum, 1–11, 253–267
Lycopersicum pimpinellifolium, 253–267
Lymantria, 156

MACARTHUR, J. W., 1–2, **158, 253,** 259, 263, 265
MACDOWELL, E. C., 270
MACKENSEN, O., 292, 295, 297, 426, 443
MACKNIGHT, R. H., **158,** 447
MACQUEEN, N. R., **161**
MACY Foundation, 573
MAERZ, A., 122
MALLOCH, W. S., **148**
man, 146, 158, 165–166
MANGELSDORF, A. J., 193, 202
MANGELSDORF, P. C., 560
MARGOLIS, O. S., 549
Marine Biological Laboratory, 562
MARQUARDT, H., 509
MARSHAK, A., **158,** 509–512
maternal effect, 79, **139, 156**–157, 420–422
MATHER, K., 446, 508–509, 596, 598–599
MAVOR, J. W., 303
MAXWELL, J., 566, 568–569
MCCLINTOCK, B., 87, 106, **159,** 307–310, **315,** 319, 337–338, 368, 371, 394, 492
McGill University, 152, 521
MEDVEDEV, N. N., 266
meiosis
Paeonia, 87–110
wheat, 157, 168
Zea, 336–346
melanin, **172**
Melanoplus, 152
METALNIKOV, 115
METZ, C. W., **159,** 203–206, 212, 215, 218–219, 275, 282
MICHAELIS, P., 78–79
Michigan University, 167
MICKEY, G. H., **160**
MILNER, R. T., 380
Minnesota Agricultural Experiment Station, 1
Minnesota University, 162
Minute reaction, **142,** 305
Missouri, University of, 159, 168, 170–171, 315
mitosis
Chortophaga, 597
colchicine effect, **161**–162
Zea, 320–336
mitotic crossing over, 305
MOHR, O. L., 291
MOHS, F. E., **150**
MOORE, W. B., 508
MORGAN, L. V., 368, **423**
MORGAN, T. H., 221, 223, 447, 644
mosaics
Bombyx, 133–134
Drosophila, **139,** 173
Galleria, 127–130, 133–135
Habrobracon, 134, **175**
Zea, 346–357
MOSES, M. S., 203
mosquito, 140
moss, polyploidy, 174–175
mottling, **149,** 631, 645
Mount Hope Farm, 148
mouse
albinism, **269**–274
body length, 400–421
body size, **269**–274, **399**–421
body weight, 400–421
Brachyury, 146–147, 574, 581
carcinoma, **585,** 595
castration, 593
D-short, **146**–147
embryology 575, 578
genes
albino, 270–274
brown, 269–274, 399–421
dilution, 269–274, 399–421
short-ear, 399–421
spotting, 399–421, **523,** 545
waltzing, 399–421
growth, 399–421
hair color, 143
lethals, 146–147, 583
linkage, 399–421
malformations, 583
maternal effect, 420–422
palatal ridges, **176**–177
pigmentation, 539
sarcoma, 158
skeletal variation, **151**–152
strain, CBA, 585
strain, Gates, 400–402, 415–421
strain, Japanese waltzing, 400–405, 418
strain, Little, 400, 408–413, 417–421
strain, Pincus, 400, 406–408, 413
strain, Snell, 413–416
tail length, 271–274, 400–421
tail mutations, 146–147, **573**
tailless, **573**
tumor factors, 595
MULLER, H. J., 117, **139, 160**–161, 183, 372, 494, 562, 566, 624, 626, 644
multiple alleles, **170,** 193–202, 377–379
multiple births, **158**
MUNZ, P. A., 144, 190
MÜNTZING, A., 101, 175, 371
Mus bactrianus, 400, 413, 417–420
Mus musculus, **151**–152, **176**–177, 400, 409, **523**
Mus wagneri rotans, 401
mutability, Zea, **377**–396
mutation, 160
neutron induced, **179**–189, 567
spectrological analysis, **170**–171
x-ray induced, 139, 284–289, 494, **562**

mutation rate
corn, **147**, 386–389, 393
Drosophila, **163**, 628
Habrobracon, 562
pineapple, **145**

NABOURS, R. K., **161**
NAGAI, M. A., **179**–180
National Research Council, 135, 300–301, 562
NAUMENKO, V. A., 289
NAWASCHIN, M., 368
NEBEL, B. R., **161**, 509, 596, 601
NEAL, J., **151**
NEUHAUS, M., 432
Neurospora, **148**
neutrons, **148**, **179**–189, 567
Newcomb College, 164
NEWCOMBE, H. B., **152**
NEWCOMET, W. S., 180, 189
New England Deaconess Hospital, 158
New York Agricultural Experiment Station, 161
New York University, 147, 155, 169
Nicotiana, 75, 76, 190, 368–369
non-disjunction, 217, 434–443
notochord, in mice, 578, 581
nucleolus size, **485**–493

Oenothera
chromosome rings, 200–201
hybrids, 190
male-sterile gene, 201
multiple alleles, 193–202
Oe. organensis, **190**–202
segmental arrangements, **144**
self-incompatibility, **190**–202
OLBRYCHT, T. M., 436–437
OLIVER, C. P., **162**, 372, 494
onion, 158
ONSLOW, H., 524, 541, 546
Ozarks, College of, 115

PACKARD, A. S., 115
PADDOCK, F. B., 115
Paeonia, 69, 70, **83**–86, 100–110
chiasma frequency, 87–102
chromosomes, **83**–110
hybrids, **65**–**83**–110
meiosis, 87–110
polyploidy, 69–82
sex reversal, 77–80
PAINTER, T. S., 142, 405, 445, 624, 644
Pancratium, 510
Papaver, 162, 520
Paramecium aurelia, sex, **154**–155, **168**
PARKER, R. W., 291
parthenogenesis, 131–133, 139, **145**, 563
patterns
mouse, **523**
pigeon, **12**–23
PATTERSON, J. T., 140, **162**, 394, 508, 548, 555, 625, 644
PAUL, M. R., 122
pea, 158, 162
PEARSON, H. M., 205–206
Pennsylvania, University of, 175
PETERSON, R. F., **517**, 521
PFEIFFER, C. A., **585**
Pharbitis, 393
PHILIP, U., 429
PHILIP, J., 105
photoperiod, hemp, **157**
phylogeny of chromosomes, 28–64
Physcomitrium piriforme, 175
pigeon, 12–27
pigment
Drosophila, **173**, 639, **642**
guinea pig, 164–165
Habrobracon, 175
mouse, 143, 539
pigeon, 12–23
Zea, 377–396
pigmentation fields, 539
pineapple, **145**
Pinus monophylla, 239
Pinus ponderosa, 239
Pisum, 368
plasmatic inheritance, 78–79
PLOUGH, H. H., **163**, 303, 395, 550
pollen tube growth, 164
polyploidy
colchicine effect, 162
Datura, **140**–141
mass, **174**–175
Paeonia, 69–82
pineapple, **145**
Rubus, **149**–150
Taraxacum, **149**–150
Tradescantia, **164**–165
tomato, 10–11
population genetics, **239**–250, **463**–484
position effect, **160**, 372, 391–395, 514, 628
POULSON, D. F., 372
poultry, 255, 266
Creeper, 155
feather color, 172
gene map, **174**
Japanese Bantam, **155**
lethal, **155**
melanin, **172**
naked mutation, **152**–153
POWERS, L., 256
prime types
soybean, **176**
progestin, 590, 595
progynon, 590
PROKOFYEVA-BELGOVSKAYA, A. A., 160, 161, 624
prolutin, 590–593
proteins, 158
PUGH, C. E. M., 541
puparium formation, **151**
PZRIBRAM, H., 542

quadruplets, 158
QUEAL, M. L., **239**, **463**, 465
QUINN, J. B., 255
quintuplets, 158

rabbit, 146, 149, **165**, 266, 412
radiation, effect on chromosomes, **596**, **600**
radium, 180
RAFFEL, D., **160**, **161**, 624
Raimannia, 190
RANDOLPH, L. F., 377

RASMUSSEN, J., 256–257
rat, 412
  aenemia, 141–142
  cancer, **150**
  carcinoma, 158
  neutron effect, 179
REDFIELD, H., 450
REED, S. C., 273, 399, 407–409, 418
relative growth, 552
RENTSCHLER, V., 550
REYNOLDS, J. P., **203**
RHOADES, M. M., **163,** 315, 342, 368, **377**–379
Rice Institute, 179–180
RICHARDSON, M. M., 100, 371
RICHTER, D., 544
RIDDLE, O., 18
RILEY, H. P., **164,** 508, 596, 598
ring chromosomes, 159, **315**–375
ring-gland, **151**
ripening time, tomato, 1–11
RIVERS, T. M., 507
ROBERTSON, W. R. B., **167**
ROBERTSON, C. W., 549
Rochester University, 151, 172
Rockefeller Foundation, 142, 221, 283
ROSS, W. D., 115
Rubus, **149**–150
RUDKIN, G. T., 239, 463
RUSSELL, E. S., **164**
Russian Academy of Sciences, 139, 160–161
RUTTLE, M. L., **161,** 601

SAKHAROV, V. V., 287, 289
salivary chromosomes, 28–64, **111**–114, 139, **142**–143, 158, **159,** 170, 221, **283**–**291**–299, 445
Salmonella aertrycke, 417
SANDS, C. E., 380
sarcoma, 158
satellite size, tomato, **485**–493
SATINA, S., **165**
SAUNDERS, A. P., **65,** 70, 76, 83, 86–87, 90, 92, 102, 107–108
SAWIN, P. B., **151,** 165
SAX, H., 510
SAX, K., 83, 87, 102, 108, 371, **494,** 510, 513–514, 614
SCHAFFNER, J. H., 80
SCHMUCK, M. L., 203, 205
SCHULTZ, J., 139, 160, 173, 368, 394, 425, 435, 447, 453, 644
SCHWEMMLE, J., 78–79
Sciara
  chromosome elimination, 203–219
  linkage, 205–219, 274–282
  mutants, **275**–282
  salivary chromosomes, **159**–160
  S. coprophila, **203**–219, 275–279
  S. ocellaris, 159–160, 278–279
  S. reynoldsi, 279–282
  selective segregation, 209–212, 275–283
  sex determination, 203–219
  trisomes, 207–209
SEARS, E. R., 202
Secale, 601
segmental interchange, 144, 164
SEILER, J., 131
selection
  Daphnia, 139
  rat, 150
selective segregation, 209–212, 275–283
semilethals, Drosophila, 467–484
SEREBROWSKY, A. S., 300, 306, 607, 623
serology
  dove, 153, 166
  Drosophila, **146**
  rabbit, 165–166
sex
  determination, Paramecium, **154**–155, 168
  determination, Sciara, **203**–219
  effect on crossing over, pigeon, **24**–27
  hemp, **157**
  inheritance of, Paramecium, **168**
  linkage, 152–153, 205
  ratio, Drosophila, 245–250
  ratio, Sciara, 204–205
  reversal, Paeonia, 77–80
sex intergrades, Cladocera, 139
SHERMAN, M., 380
SHRIGLEY, E. W., **166**
SHULL, A. F., **167**
SHULL, G. H., 483
SIDOROV, B. N., 368
Sigma Xi, 135
SINNOTT, E. W., 256
SIRKS, M. J., 202
SIVERTZEV-DOBZHANSKY, N., 453
size inheritance
  mouse, **269**–274, **399**–421
  tomato, **253**–267
SIZOVA, M., 511
skeleton
  mouse, **151**–152
  rabbit, 149
SLIZYNSKA, H., 283, 287, **291**–292, 297, 393, 628, 645
SLIZYNSKI, B. M., **283**
SMITH, E. L., **167**
SMITH, H. B., 203
SMITH, J. A., 115
SMITH, L., **168**
SMITH, S. E., **141**
SMITH, S. G., 371
SMITH, T. L., **115**
SMITH-STOCKING, H., 205, **275**–278
SNEDECOR, G. W., 401
SNELL, G. D., 417
SOBOTTA, S., 576, 582
SOKOLOV, N. N., 28, 368, 514
Solanum lycopersicum, **485**–493
somatic crossing over, 300, 305
somatic pairing, 29–64, **140**
SONNEBORN, T. M., **168**
SONNENBLICK, B. P., **151, 169**
soybean, prime types, **176**
species,
  chromosome homologies, **173**
  compatibility, Paeonia, **65**–83
  differences, dove, **153**
  formation, **149**–150
SPEICHER, K. G., 569
SPEMANN, H., 573
SPENCER, W. P., **169–170,** 631, 644
sperm
  dove, **166**
  Drosophila, **154,** 612

Spilopelia chinensis, 153
spindle attachment, 616
spotting, guinea pig, **144**
  mouse, **523**, 545
SPRAGUE, G. F., 171, 508
squash, 256
STADLER, L. J., 117, **170**, **171**, 316, 494, 511, 603, 607, 623, 627
STANCATI, M. F., 566
Stanford University, 399
Staples-Browne, R., 22
STEBBINS, G. L., **65**–66, 72, **83**, 87, 90–96, 99–101, 107–108
STEELE, D. G., 12, 24, **172**
sterility, wheat, 168
  tomato, 486–487
STERN, C., 101, **172**, 300, 372, 394, 432, 549–550, 644
STONE, W. S., 140, **149**, **162**, **173**, 446, 625
STONE, L. H. A., 596, 598–599
Storrs Agricultural Experiment Station, 155
Streptopelia risoria, 153
STRONG, L. C., 270, **585**, 594
STUART, C. A., **165**
STUBBE, H., 494
STURTEVANT, A. H., 26, **28**, 44–47, 58–61, 79, 108, 111, 221, 223, 230–234, 239–243, 246–248, 368, 372, 434–435, 446–447, 450–453, 463–467, 479–483, 548, 550–551, 558
SUCHE, M., 149, **162**, 625
SUMMER, F. B., 244, 271, 400
SURRARRER, T. C., **631**
SVENSON, H. K., 303
synapsis, 140, 152, 336–339, 445–446
  of inverted regions, 112–113

Tagetes, 162
tail length, mouse, 271–274, 400–421
tail mutations, mouse, 146–147
TAN, C. C., 28, 34, 41, 44–49, 103, 173, **221**, 223, 230–234, 481–482
Taraxacum, **150**
TAYLOR, I. R., 117, 135
TAYLOR, L. S., 183
temperature, effect on
  crossing over, 305
  fertility, **146**
  germination, 148
  translocation, **160**
  truncate reaction, **141**
  variation, 148
  viability, **146**
  wing characters, **147**, **155**
temperature effective period, 141, 631, 637, 645
Tettigidea lateralis, 161
Texas University, 140, 146, 149, 160, 162, 173
THOMAS, I., 446
thyroid, pigeon, 18–19
TIMOFEEFF-RESSOVSKY, N. W., 117, 239, 483, 494
TINIAKOV, G. G., 28
tomato, 158, 162
  chromosome size, 485–493
  chromosomes, 1–11, 485–493
  fruit ripening, 1–11
  fruit size, 253–267
  genes
    compound inflorescence, 1–11
    dwarf, 1–11
    fasciated, 259
    lutescent, 259
    pear shape, 1–11
    pubescence, 1–11
  growth, **253**–267
  hybrids, 253–267
  nucleolus size, 485–493
  pollen abortion, 486–487
  satellite size, 485–493
  size inheritance, **253**–267
  sterility, 486–487
Toronto, University of, 158, 253
TOYAMA, K., 133
Tradescantia, 76, 162, 164, 368–370, 495, 601
  effect of temperature, 504–505
  effect of X-rays, 494–516
  polyploids, 164
translocations, 143–144, 149, **160**, 170–173, 176, 234, **307**–312, 423–462, 599, 601, 604, 607–608, 612, 620, 626
transplantation
  Drosophila, **221**–238
  mouse tumors, **585**
  rat cancer, **150**
Trifolium, 162
Trillium, 368
  T. erectum, synapsis, **152**
triplets, 158
triploids
  Datura, **165**
  Drosophila, 442, 449–450
trisome
  Sciara, 207–209
  Zea, 163–164
Triticum monococcum, chromosomes, **168**
  durum, 517
  vulgare, 517
TROFIMOV, I. Eu., 368
TSCHETWERIKOFF, S., 239, 483
Tulipa, 368
tumor, in mice, **585**, 595
twins, man, 146, 158
tyrosinase, 541–542

UBER, F. M., **171**
ULLIAN, S. S., 203
ULRICH, F. E., 180
ultraviolet
  effect on chromosomes, 171
unstable genes, 173, 377–396
UPCOTT, M., 368, 371, 609
U. S. Department of Agriculture, 163, 170, 176, 377

VAN ATTA, E. A., 644
variation
  Drosophila, **463**–484
  guinea pig, 144
  mouse, **151**–152
  Neurospora, 148
  rabbit, **149**
variegation, Zea, **153**–154, 315–377, 393–394
viability, Drosophila, 471–476
virus inactivation, **148**
  disease, 1
VOHRINGER, K., 115

WALLACE, E., 237
waltzing mouse, 400–405, 418
WARREN, D. C., 26, **174**
Washington Square College, 151, 169
WATKINS, A. E., 70
wax moth, **115**–136
weight, mouse, 400–421
WEINSTEIN, A., 453
WEST, F., 275
Western Reserve University, 631
WETTSTEIN, F., **174**
wheat
  chromosomes, 157, 168, **517**
  deficiency, 157
  linkage, 168
  neutron effect, 179, 188
  sterility, 168
  white chaff, **157**
WHEELER, K. M., **165**
WHITAKER, T. W., 83–84
WHITE, EUNICE, 610
WHITE, M. J. D., 368, 509, 596, 598, 607, 623
WHITING, A. R., **175**, 569
WHITING, P. W., 134, 179, **562**, 565
WHITMAN, C. O., 14, 18
WHITTINGHILL, M., 175, **300**
WILLIAMS, G. S., **176**
WILLIAMS, L. F., **176**
WILSON, G. B., **152**
WINKLEMAN, E., 182
Wisconsin University, 12, 24, 150, 153, 166
Wittenberg College, 155
WITTIG, O., 20
WOOLLEY, G. W., **176**
WOOD, T. R., **139**
Woodstock College, 151, 169
Wooster College, 169–170
WRIEDT, C., 12, 24
WRIGHT, S., 175, 249, 523, 536, 546
WYCKOFF, R. W. G., 507

X-ray
  effect of pH, 511
  effect on
    chromosomes, **596, 610**, 613, 623
    cleavage, 151
    crossing over, 175–176, 300–306
    gametes, 169
    hair color, **143**
    inactivation, **148**
    sterility, 168
    variation, 148
  induced chromosome aberrations, 139, **143, 154, 158, 160**–161, 168–171, 284–299, **494**–516, **596, 610**
  induced mutation, 117–131, 284–289, 483, 494, **562**, 644

Y chromosome
  Drosophila melanogaster, 611, 615, 624
  Drosophila miranda, 158
  effect on pigment, **173**
Yale University, 585
YASUI, K., 520, 521
YEAGER, A. F., 1, 264–265
YUNG, T. C., 131

Zea mays, 494
  crossing over, 356–357
  deficiency, **159, 315**–375
  genes
    aleurone color, 153–154, 307–312, **377**–396
    brown mid-rib, 159, 315–375
    dotted, **377**–396
    purple, 154
    red, 154
    sh, 307–312
    sticky, 623
    sugary, 154
  germless seeds, 170–171
  inversions, 370–372
  lethals, 170–171
  linkage, 307–312, 389–395
  maternal effect, **156**–157
  meiosis, 336–346
  mitosis, 320–336
  mosaics, 346–357
  mutability, **377**–396
  mutation detection, **159**
  mutation rate, 147, 386, 389, 393
  ring chromosomes, 159, **315**–375
  tillering, **156**–157
  translocations, **307**–312
  trisome, **163**–164
  ultraviolet effect, **171**
  variegation, **153**, 315–377, 393
  waxy, 153–154, 307–312
ZIRKLE, R. E., 179, 188, 511, 562, 569